L Number	Hits	Search Text	DB	Time stamp
1	20847	file\$3 near5 (cop\$4 archiv\$4 backup\$4)	USPAT;	2004/03/31 10:32
			US-PGPUB;	
			EPO; JPO;	
			DERWENT;	
			IBM TDB	
2	7	(file\$3 near5 (cop\$4 archiv\$4 backup\$4)) and (director\$4	USPAT;	2004/03/31 10:18
-	•	near5 spawn\$4 near5 process\$3)	US-PGPUB;	=====================================
		Ticalo spanny+ ficalo processyo/	EPO; JPO;	İ
			DERWENT;	
,	18181	(file\$3 near5 (cop\$4 archiv\$4 backup\$4)) and (director\$4	IBM_TDB USPAT;	2004/03/31 10:18
3	10101	near5 cop\$4 (spawn\$4 process\$3))	US-PGPUB;	2004/03/31 10.10
		Tiearo copa4 (spawna4 processao))	EPO; JPO;	
			DERWENT;	
.	444	(Sland) was for and analysis of the above of the advantage of the about	IBM_TDB	0004/00/04 40:40
4	111	(file\$3 near5 (cop\$4 archiv\$4 backup\$4)) and (director\$4	USPAT;	2004/03/31 10:19
		near5 cop\$4 near5 (spawn\$4 process\$3))	US-PGPUB;	
			EPO; JPO;	
			DERWENT;	
			IBM_TDB	
5	3317	director\$3 near5 (cop\$4 archiv\$4 backup\$4)	USPAT;	2004/03/31 10:33
			US-PGPUB;	
			EPO; JPO;	
			DERWENT;	
		·	IBM_TDB	
6	1498	(file\$3 near5 (cop\$4 archiv\$4 backup\$4)) same (director\$3	USPAT;	2004/03/31 10:33
		near5 (cop\$4 archiv\$4 backup\$4))	US-PGPUB;	
			EPO; JPO;	
			DERWENT;	
			IBM_TDB	
7	1	director\$3 near5 (cop\$4 archiv\$4 backup\$4) near5 spawn	USPAT;	2004/03/31 10:33
		near5 process\$4	US-PGPUB;	
			EPO; JPO;	
			DERWENT;	
			IBM_TDB	
8	1	director\$3 near5 (cop\$4 archiv\$4 backup\$4) near5 spawn\$4	USPAT;	2004/03/31 10:34
_	•	near5 process\$4	US-PGPUB;	
			EPO; JPO;	
			DERWENT;	
			IBM_TDB	,
9	317	director\$3 near5 (cop\$4 archiv\$4 backup\$4) near5 process\$4	USPAT;	2004/03/31 10:34
١ .	J.,	anostore ricaro (soper aroniver basicape i) ricaro processe i	US-PGPUB;	200 1/00/01 10:01
			EPO; JPO;	
			DERWENT;	
			IBM_TDB	
10	102	(file\$3 near5 (cop\$4 archiv\$4 backup\$4)) same (director\$3	USPAT;	2004/03/31 10:34
10	102	near5 (cop\$4 archiv\$4 backup\$4) near5 process\$4)	US-PGPUB;	2004/03/31 10:54
		Ticalo (copper archiver backuper) Ticalo processor)	EPO; JPO;	
			DERWENT;	
11	2	6472767 pp. and /EU E02 CAME DIDECTOR(A)	IBM_TDB	2004/02/24 42:42
11	2	6473767.pn. and (FILE\$3 SAME DIRECTOR\$4)	USPAT;	2004/03/31 13:12
			US-PGPUB;	
			EPO; JPO;	
			DERWENT;	
			IBM_TDB	
12	1	6473767.pn. and (FILE\$3 SAME cop\$4)	USPAT;	2004/03/31 13:12
			US-PGPUB;	
			EPO; JPO;	
			DERWENT;	
			IBM_TDB	
-	1499	cop\$3 near3 (director\$4)	USPAT;	2004/03/31 10:14
			US-PGPUB;	
			EPO; JPO;	
			DERWENT;	
		1	IBM_TDB	i .

_	9826	cop\$3 near3 (file\$1)	USPAT;	2003/05/13 17:11
	0020		US-PGPUB;	2000/00/10 17.11
			EPO; JPO;	
			DERWENT:	
			IBM_TDB	
_	753	(cop\$3 near3 (director\$4)) and (cop\$3 near3 (file\$1))	USPAT;	2003/05/13 15:33
	100	(coppo nearo (anectorpa)) and (coppo nearo (mep 1))	US-PGPUB;	2003/03/13 13.33
			EPO; JPO;	
			DERWENT;	
_	161	increas\$4 near5 resource\$2 near5 limit\$3	IBM_TDB	2002/05/42 44:42
_	'0'	Increasor nears resourceor nears minitos	USPAT;	2003/05/13 14:42
			US-PGPUB;	
			EPO; JPO;	
			DERWENT;	
	161	movim\$4 noor5 roomuraa\$2 noor5 limit\$2	IBM_TDB	0000/05/40 45 50
-	101	maxim\$4 near5 resource\$2 near5 limit\$3	USPAT;	2003/05/13 15:53
			US-PGPUB;	
			EPO; JPO;	
			DERWENT;	
	1	//000 / F: 1 04\\ 1 0 0 0 0 0 0 0 0 0 0 0 0 0 0 0 0 0 0	IBM_TDB	
-	1	((cop\$3 near3 (director\$4)) and (cop\$3 near3 (file\$1))) and	USPAT;	2003/05/13 14:43
		((increas\$4 near5 resource\$2 near5 limit\$3) and (maxim\$4	US-PGPUB;	
		near5 resource\$2 near5 limit\$3))	EPO; JPO;	
			DERWENT;	
			IBM_TDB	
-	650	transfer\$4 near5 file\$1 near5 buffer\$3	USPAT;	2003/05/13 14:45
			US-PGPUB;	
			EPO; JPO;	
			DERWENT;	
			IBM_TDB	
-	2602	lock\$3 near5 buffer\$3	USPAT;	2003/05/13 14:45
			US-PGPUB;	
			EPO; JPO;	
			DERWENT;	
			IBM_TDB	
-	28835	"dma"	USPAT;	2003/05/13 14:46
			US-PGPUB;	
			EPO; JPO;	
			DERWENT;	
			IBM_TDB	
-	5	(transfer\$4 near5 file\$1 near5 buffer\$3) and (lock\$3 near5	USPAT;	2003/05/13 15:18
		buffer\$3) and "dma"	US-PGPUB;	
			EPO; JPO;	
			DERWENT;	
			IBM_TDB	
-	1	((cop\$3 near3 (director\$4)) and (cop\$3 near3 (file\$1))) and	USPAT;	2003/05/13 14:53
		(((destinat\$3 target\$4) near5 full) same (e-mail email))	US-PGPUB;	
		, , , , , , , , , , , , , , , , , , , ,	EPO; JPO;	
			DERWENT;	
			IBM_TDB	
-	3	((cop\$3 near3 (director\$4)) and (cop\$3 near3 (file\$1))) and	USPAT;	2003/05/13 14:52
		(((destinat\$3 target\$4) near5 full) and (e-mail email))	US-PGPUB;	17.02
		(((assume the same transported to the same transported	EPO; JPO;	1
			DERWENT;	
			IBM_TDB	
_	14	((cop\$3 near3 (director\$4)) and (cop\$3 near3 (file\$1))) and	USPAT;	2003/05/13 14:53
	1	((destinat\$3 target\$4) near5 full)	US-PGPUB;	2000/00/10 17:00
		The state of the s	EPO; JPO;	
			. L. J. U. U.	1
			DERWENT,	
-	7	(increas\$4 near5 resource\$2 near5 limit\$3) and (maxim\$4	DERWENT; IBM_TDB	2003/05/13 14:50
-	7	(increas\$4 near5 resource\$2 near5 limit\$3) and (maxim\$4	DERWENT; IBM_TDB USPAT;	2003/05/13 14:59
-	7	(increas\$4 near5 resource\$2 near5 limit\$3) and (maxim\$4 near5 resource\$2 near5 limit\$3)	DERWENT; IBM_TDB USPAT; US-PGPUB;	2003/05/13 14:59
-	7		DERWENT; IBM_TDB USPAT;	2003/05/13 14:59

-	1	((increas\$4 near5 resource\$2 near5 limit\$3) and (maxim\$4	USPAT;	2003/05/13 15:01
		near5 resource\$2 near5 limit\$3)) and (cop\$3 near5 file\$1)	US-PGPUB;	
			EPO; JPO;	
			DERWENT;	
			IBM TDB	
-	1	((increas\$4 near5 resource\$2 near5 limit\$3) and (maxim\$4	USPAT;	2003/05/13 15:00
		near5 resource\$2 near5 limit\$3)) and (cop\$3 same file\$1)	US-PGPUB;	
		, , , , , ,	EPO; JPO;	
			DERWENT;	
			IBM_TDB	
-	5	(maxim\$4 near5 resource\$2 near5 limit\$3) and (cop\$3 near5	USPAT;	2003/05/13 15:02
		file\$1)	US-PGPUB;	
			EPO; JPO;	
			DERWENT;	
			IBM_TDB	
-	1	((cop\$3 near3 (director\$4)) and (cop\$3 near3 (file\$1))) and	USPAT;	2003/05/13 15:05
		(maxim\$4 near5 resource\$2 near5 limit\$3)	US-PGPUB;	
			EPO; JPO;	
			DERWENT;	
			IBM_TDB	
-	4	((cop\$3 near3 (director\$4)) and (cop\$3 near3 (file\$1))) and	USPAT;	2003/05/13 15:10
	1	((transfer\$3 near5 buffer\$1) same DMA)	US-PGPUB;	
	+		EPO; JPO;	
			DERWENT;	
			IBM_TDB	
-	1	((cop\$3 near3 (director\$4)) and (cop\$3 near3 (file\$1))) and ((USPAT;	2003/05/13 15:11
		lock\$4 near5 buffer\$1) same DMA)	US-PGPUB;	
			EPO; JPO;	
			DERWENT;	
			IBM_TDB	
-	16	((cop\$3 near3 (director\$4)) and (cop\$3 near3 (file\$1))) and	USPAT;	2003/05/13 15:11
		(lock\$4 near5 buffer\$1)	US-PGPUB;	
			EPO; JPO;	
			DERWENT;	
			IBM_TDB	
-	879	director\$3 near5 file near5 cop\$3	USPAT;	2003/05/13 15:20
			US-PGPUB;	
			EPO; JPO;	
			DERWENT;	
			IBM_TDB	
-	1	(maxim\$4 near5 resource\$2 near5 limit\$3) and (director\$3	USPAT;	2003/05/13 15:22
	1	near5 file near5 cop\$3)	US-PGPUB;	
	Ì		EPO; JPO;	
			DERWENT;	
	20	item \$4 near 4 director\$2 ==== 5	IBM_TDB	0000/07/10 :=
-	32	item\$4 near4 director\$3 near5 cop\$3	USPAT;	2003/05/13 15:23
			US-PGPUB;	
			EPO; JPO;	
			DERWENT;	
	116	itom\$4 poor4 file\$2 poor5 con\$2	IBM_TDB	0000/05/40 45 0
_	116	item\$4 near4 file\$3 near5 cop\$3	USPAT;	2003/05/13 15:24
			US-PGPUB;	
			EPO; JPO;	
			DERWENT;	
	10	(item\$4 pear4 director\$2 pear5 con\$2) and (item\$4 pear4	IBM_TDB	2002/05/42 45:05
_	'0	(item\$4 near4 director\$3 near5 cop\$3) and (item\$4 near4 file\$3 near5 cop\$3)	USPAT;	2003/05/13 15:25
		, шефо пеаго сорфо) 	US-PGPUB;	
			EPO; JPO;	
			DERWENT;	
_	2094	file\$1 near3 archiv\$3	IBM_TDB	2002/05/42 45:05
-	2094	I III GY I II GAIS AIGIII VYS	USPAT;	2003/05/13 15:25
			US-PGPUB;	
			EPO; JPO;	
			DERWENT;	
	L		IBM_TDB]

-	4259	file\$1 near3 (archiv\$3 or backup)	USPAT;	2003/05/13 15:25
			US-PGPUB;	
			EPO; JPO;	
			DERWENT;	
	87	(file\$1 near3 (archiv\$3 or backup)) and ((file and director\$4)	IBM_TDB USPAT;	2003/05/13 15:26
-	07	near5 cop\$3)	US-PGPUB;	2003/03/13 13.26
		Near O Copy C)	EPO; JPO;	
			DERWENT;	
			IBM TDB	
-	9	((file\$1 near3 (archiv\$3 or backup)) and ((file\$1 and	USPAT;	2003/05/13 15:30
		director\$4) near5 cop\$3)) and (buffer\$1 near5 lock\$4)	US-PGPUB;	
			EPO; JPO;	
			DERWENT;	
	_		IBM_TDB	
-	87	(file\$1 near3 (archiv\$3 or backup)) and ((file\$1 and director\$4)	USPAT;	2003/05/13 15:29
		near5 cop\$3)	US-PGPUB;	
			EPO; JPO;	
			DERWENT;	
	1	//file\$1 near3 (archiv\$3 or backup)) and //file\$1 and	IBM_TDB	2003/05/13 15:31
-	•	((file\$1 near3 (archiv\$3 or backup)) and ((file\$1 and director\$4) near5 cop\$3)) and (stack\$1 same heap\$1)	USPAT; US-PGPUB;	2003/03/13 15:31
	·	directory+) hears copys)) and (stacky i same heapy i)	EPO; JPO;	
			DERWENT;	
			IBM_TDB	
-	1	((file\$1 near3 (archiv\$3 or backup)) and ((file\$1 and	USPAT;	2003/05/13 15:32
		director\$4) near5 cop\$3)) and (increas\$4 near5 resource\$2	US-PGPUB;	
		near5 limit\$3)	EPO; JPO;	
			DERWENT;	
			IBM_TDB	
-	2	((file\$1 near3 (archiv\$3 or backup)) and ((file\$1 and	USPAT;	2003/05/13 15:35
		director\$4) near5 cop\$3)) and stack and heap	US-PGPUB;	
			EPO; JPO;	
			DERWENT;	
	27	((cop\$3 near3 (director\$4)) and (cop\$3 near3 (file\$1))) and	IBM_TDB USPAT;	2003/05/13 15:36
-	2'	(cop\$3 near5 in near5 director\$3)	US-PGPUB:	2003/03/13 13.30
		(copper hears in hears directorps)	EPO; JPO;	
			DERWENT;	
			IBM_TDB	
-	246	maxim\$4 near5 disk\$2 near5 limit\$3	USPAT;	2003/05/13 16:06
			US-PGPUB;	
			EPO; JPO;	
			DERWENT;	
	_		IBM_TDB	
-	5	(maxim\$4 near5 disk\$2 near5 limit\$3) and (cop\$3 near4	USPAT;	2003/05/13 15:54
		file\$1)	US-PGPUB;	
			EPO; JPO;	
			DERWENT; IBM_TDB	
-	1	5717951.pn. and (file\$4 near5 cop\$3)	USPAT;	2003/05/13 16:10
	'	37 17 55 1.pm. and (moy-modio copys)	US-PGPUB;	2000/00/10 10:10
			EPO; JPO;	
			DERWENT:	
			IBM_TDB	
-	6360	file\$1 near5 buffer\$3	USPAT;	2003/05/13 16:11
			US-PGPUB;	
			EPO; JPO;	
			DERWENT;	
	4500	Slatte many hussants	IBM_TDB	0000/05/40 40 41
-	4506	file\$1 near3 buffer\$3	USPAT;	2003/05/13 16:11
		·	US-PGPUB;	
			EPO; JPO; DERWENT;	
	L	<u> </u>	IBM_TDB	L

-	130	(file\$1 near3 buffer\$3) and (lock\$3 near5 buffer\$3)	USPAT; US-PGPUB;	2003/05/13 16:12
			EPO; JPO;	
	İ		DERWENT;	
	:		IBM_TDB	İ
-	28	((file\$1 near3 buffer\$3) and (lock\$3 near5 buffer\$3)) and DMA	USPAT;	2003/05/13 16:16
			US-PGPUB;	
	1		EPO; JPO;	
			DERWENT;	
		0005007	IBM_TDB	
-	0	6065037.pn. and (file\$2 near5 cop\$3)	USPAT;	2003/05/13 16:17
			US-PGPUB; EPO; JPO;	
			DERWENT;	
			IBM_TDB	
-	0	6065037.pn. and (file\$2 same cop\$3)	USPAT;	2003/05/13 16:17
			US-PGPUB;	
			EPO; JPO;	
			DERWENT;	
			IBM_TDB	
-	1	6065037.pn. and (file\$2 and cop\$3)	USPAT;	2003/05/13 16:46
	1		US-PGPUB;	
			EPO; JPO;	
	1		DERWENT;	
_	6	(cop\$3 near3 (file\$1)) and ((email or e-mail) near5 (target\$1 or	IBM_TDB USPAT;	2003/05/13 16:50
		destinat\$4 or disk\$1) neAR5 (full or space\$3))	US-PGPUB;	2003/03/13 10.30
		destinate to alone in north to (run or space 40))	EPO; JPO;	
			DERWENT;	
			IBM_TDB	
-	1249	(cop\$3 near3 (file\$1)) and ((target\$1 or destinat\$4 or disk\$1)	USPAT;	2003/05/13 16:51
		neAR5 (full or space\$3))	US-PGPUB;	
			EPO; JPO;	
			DERWENT;	
1_	234	((cop\$3 near3 (file\$1)) and ((target\$1 or destinat\$4 or disk\$1)	IBM_TDB USPAT;	2003/05/13 16:52
	204	neAR5 (full or space\$3))) and (e-mail or email)	US-PGPUB;	2003/03/13 10.32
		institute (interest of passets))) and (o mail or omail)	EPO; JPO;	
1			DERWENT;	
			IBM_TDB	
-	3	((cop\$3 near3 (file\$1)) and ((target\$1 or destinat\$4 or disk\$1)	USPAT;	2003/05/13 16:52
		neAR5 (full or space\$3))) and ((e-mail or email) near5 full)	US-PGPUB;	
			EPO; JPO;	
			DERWENT;	
_	8	destinat\$4 near5 space\$1 near5 full	IBM_TDB USPAT;	2003/05/13 16:54
		additionally from Spacey Fricaro Idii	US-PGPUB;	2003/03/13 10.34
			EPO; JPO;	
	1		DERWENT;	
			IBM_TDB	
-	1213	resourc\$3 near5 full	USPAT;	2003/05/14 08:53
			US-PGPUB;	
	1		EPO; JPO;	
ļ			DERWENT;	
_	2	(/resourc\$3 pear5 full) same (destinat\$4 or torget\$3\) same	IBM_TDB	2002/05/44 00:55
-	4	((resourc\$3 near5 full) same (destinat\$4 or target\$3)) same (email e-mail)	USPAT; US-PGPUB;	2003/05/14 08:55
		(ornali o ritali)	EPO; JPO;	
			DERWENT;	
			IBM_TDB	
•	51	(resourc\$3 near5 full) same (destinat\$4 or target\$3)	USPAT;	2003/05/14 09:14
		-	US-PGPUB;	
			EPO; JPO;	
			DERWENT;	
	L		IBM_TDB	

133	(destinat\$4 or target\$3) near5 (disk\$1 memor\$3 space\$1) near5 full	USPAT; US-PGPUB; EPO; JPO; DERWENT;	2003/05/14 09:16
12	((destinat\$4 or target\$3) near5 (disk\$1 memor\$3 space\$1) near5 full) and ((cop\$3 transfer\$3 transmit\$4) near5 file\$1)	IBM_TDB USPAT; US-PGPUB; EPO; JPO;	2003/05/14 09:18
14	((destinat\$4 or target\$3) near5 (disk\$1 memor\$3 space\$1)	IBM_TDB USPAT;	2003/05/14 09:23
	near5 full) and ((cop\$3 transfer\$3 ftp transmit\$4 send\$3) near5 file\$1)	EPO; JPO; DERWENT;	
56744	process\$4 near3 cop\$4	USPAT; US-PGPUB; EPO; JPO; DERWENT;	2003/05/21 14:13
705	compar\$4 near4 process\$4 near5 limit\$1	USPAT; US-PGPUB; EPO; JPO; DERWENT;	2003/05/21 14:15
30	(process\$4 near3 cop\$4) and (compar\$4 near4 process\$4 near5 limit\$1)	USPAT; US-PGPUB; EPO; JPO; DERWENT;	2003/05/21 14:16
2	((process\$4 near3 cop\$4) and (compar\$4 near4 process\$4 near5 limit\$1)) and (wait\$4 same limit\$4)	USPAT; US-PGPUB; EPO; JPO; DERWENT;	2003/05/21 14:16
1	5764972.pn. and (transfer\$3 near5 buffer\$1)	USPAT; US-PGPUB; EPO; JPO; DERWENT;	2003/05/29 09:25
1	5764972.pn. and (file\$1 near5 transfer\$3)	USPAT; US-PGPUB; EPO; JPO; DERWENT;	2003/05/29 09:25
329	increas\$3 near3 memor\$4 near3 limit\$3	USPAT; US-PGPUB; EPO; JPO; DERWENT;	2003/12/23 14:48
362	director\$4 near5 cop\$4 near10 process\$4	USPAT; US-PGPUB; EPO; JPO; DERWENT;	2004/03/26 13:49
8154	fil\$4 near5 cop\$4 near10 process\$4	USPAT; US-PGPUB; EPO; JPO; DERWENT;	2004/03/26 13:48
83	(director\$4 near5 cop\$4 near10 process\$4) same (fil\$4 near5 cop\$4 near10 process\$4)	IBM_TDB USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2004/03/26 13:48
	12 14 56744 705 30 2 1 1 329 362 8154	near5 full ((destinat\$4 or target\$3) near5 (disk\$1 memor\$3 space\$1) near5 full) and ((cop\$3 transfer\$3 transmit\$4) near5 file\$1) ((destinat\$4 or target\$3) near5 (disk\$1 memor\$3 space\$1) near5 full) and ((cop\$3 transfer\$3 fip transmit\$4 send\$3) near5 file\$1) forcess\$4 near3 cop\$4 compar\$4 near4 process\$4 near5 limit\$1 ((process\$4 near3 cop\$4) and (compar\$4 near4 process\$4 near5 limit\$1) ((process\$4 near3 cop\$4) and (compar\$4 near4 process\$4 near5 limit\$1) and (wait\$4 same limit\$4) forcess\$4 near3 cop\$4 near5 buffer\$1) forcess\$4 near3 cop\$4 near5 transfer\$3 increas\$4 near5 limit\$1) forcess\$4 near5 near5 near5 buffer\$1) forcess\$4 near5 cop\$4 near10 process\$4 fil\$4 near5 cop\$4 near10 process\$4 (director\$4 near5 cop\$4 near10 process\$4) same (fil\$4 near5	12 ((destinat\$4 or target\$3) near5 (disk\$1 memor\$3 space\$1) ((destinat\$4 near4 process\$4 near3 cop\$4) ((destinat\$4 near4 process\$4 near5 (disk\$1) (destinat\$4)
_	264	director\$4 near5 cop\$4 near5 process\$4	USPAT;
---	--------	---	-----------
		, , , , , , , , , , , , , , , , , , , ,	US-PGPUB;
			EPO; JPO;
			DERWENT;
			IBM TDB
	127094	multipl\$4 near5 process\$4	USPAT;
			US-PGPUB;
			EPO; JPO;
			DERWENT:
			IBM TDB
	15	(director\$4 near5 cop\$4 near5 process\$4) same (multipl\$4	USPAT;
		near5 process\$4)	US-PGPUB;
			EPO; JPO;
			DERWENT;
			IBM_TDB
-	840	707/204.ccls.	USPAT;
			US-PGPUB;
			EPO; JPO;
			DERWENT;
			IBM_TDB
	75	707/204.ccls. and (director\$4 near5 cop\$4)	USPAT;
			US-PGPUB;
			EPO; JPO;
			DERWENT;
			IBM_TDB
	75	(707/204.ccls. and (director\$4 near5 cop\$4)) and (new	USPAT;
		process\$3)	US-PGPUB;
			EPO; JPO;
	ļ		DERWENT;
			IBM_TDB
-	30	(707/204.ccls. and (director\$4 near5 cop\$4)) and (new near5	USPAT;
		process\$3)	US-PGPUB;
			EPO; JPO;
			DERWENT;
	1	1	IBM TDB